

zeche
CARL.
Essen-Altenessen

Venue Specs Zeche Carl



Adress

Auf Carl gGmbH, c/o Zeche Carl
Wilhelm-Nieswandt-Allee 100
45326 Essen

Management of the Company

Marcus Kalbitzer
Tel: +49 (0)201 83444 10
Fax: +49 (0)201 83444 11
info@zechecarl.de

Production Management

Marina Wirth
Tel: +49 (0)201 83444 48
Mobil: +49 (0)151 44026051
produktion@zechecarl.de

Technical Management

Patrick Wirtgen
Tel: +49 (0)201 83444 49
technik@zechecarl.de

Web

www.zechecarl.de
facebook.com/zechecarlessen
instagram.com/zeche_carl

Gastronomy Contact

malakow Restaurant
Uwe Elstermeier
Tel: +49 (0)201 83444 22
gastronomie@zechecarl.de

Festhalle



Eventroom Festhalle

Size	245 qm
Ceiling height	7,45m
Capacity standing	400
Capacity seated	250
Load-In / Load-Out (< 7,5t)	via Festhalle entrance, ground level
Load-In / Load Out (>7,5t)	via Festhalle entrance, ground level
Backstage	2 separate rooms each approx. 6 qm plus 2 common room / catering area plus one shower and 2 separate WC´s
Nightliner	parking spot available 1x 32A CEE 1x 16A CEE 2x 16A two-pin earthed plug

Stage dimension Festhalle

Width x depth	9m x 5 m
Height	1m
Overhead clearance	6,45m
Riser	on demand, 7 x (1 m x 2 m)
Riser height	0,40m; 0,60m; 1m
Possible Backdrop	4m x 3m

Audio Festhalle

Sounddesk+Stagebox	Soundcraft Vi 1000 Soundcraft Compact Stagebox 32in : 16out Midas M32 Midas DL32 Stagebox 32in : 16out Behringer X32
Multicore	Digital 2x Cat FoH to stage Analog 40in : 10out
P.A.	4x PL-Audio Big Banana 8 x 6,5" / 4 X 1" (Top) 4x Hi- TEC AUDIO 2X 18" (SUB)
Amping	2x Crest Audio CA12 (Sub) 1x Crown XTI 4002 (Mid) 1x Crown XTI 2002 (High) 1x DBX Driverack PA no seperate Sub Mix possible

Monitoring

6x PL- Audio M15 CX Pro
2x PL- Audio M12 CX Pro
1x Martin Audio F215
6 Monitorways max.

Monitor Amping

3x Crown XTI 2002

Microphones

1x AKG D112
1x Beyerdynamic TG D71
2x Revox M3500
2x Rode NT5
1x Sennheiser K3-U (ME20)
2x Sennheiser MD421
1x Sennheiser ME66
3x Sennheiser e614
4x Sennheiser e904
2x Sennheiser e906
1x Sennheiser e914
1x Sennheiser e945
1x Shure beta 52a
4x Shure SM57
5x Shure SM58
3x Sennheiser EW100/e835
1x Sennheiser EW100/e865
2x Sennheiser SK100
2x Sennheiser HSP 2 beige Kugel

DI Box

4x BSS AR133
2x Palmer 01
2x Palmer 02
1x Radial Pro AV2
1x Radial Pro DI
1x Radial Pro D2

Boom Stands

16x Boom Stand large
6x Boom Stand small
7x Roundbase small

Light Festhalle

Lightdesk

Grand MA 2 Tourpack
1x Grand MA 2 Faderwing

1x Zero88 FLS S48

Backtruss Stage

6x Litecraft Beam X7
2x Lucifer GHR 1000 (1 kW)

Fronttruss Stage

4x Lucifer GHR 2000 (2 kW)
2x Lucifer GHR 1000 (1 kW)
4x Selecon SPX 25 / 50 Profile

Fog

1 x Look Unique 2.1
2 x Smoke Factory Captain D

Video

Panasonic PT EZ 570 E
4m wide Motorscreen

Other

DJ Equipment

on demand

Guest catering

each event hall is equipped with a bar, which is operated by the restaurant

Merch

on demand

Artist catering

on demand

Decoration

on demand (just B1)

Wifi

free wifi (Hotspot) throughout the building

Confetti Cannons, Foam Cannons or similar devices are absolutely prohibited!

Noise protection

To avoid damage to guests and employees, we comply with our duty of care for safety measures and have limit values for noise emissions.

The rating level is the L(A)eq.

The benchmark for the rating level is 99 dB for every full half hour.

The guideline value is also considered to have been met if the averaged over a period of up to 2 hours rating level does not exceed 99 dB.

In addition, the peak sound level L(C)peak must be limited to 135dB.

Compliance with the guideline values must be verified by measurements.

A class 2 sound level meter is sufficient. It must be calibrated before and after the measurement.

A calibrated sound level meter is not required.

Additional Light Info

The use of the following lamps is prohibited in our house

- Clay Paky Sharpy
- Clay Paky Sharpy Plus
- Robe Pointe
- Robe Mega Pointe

zeche
CARL.
Essen-Altenessen