

2020

# Venue Specs – Zeche Carl



Management Kornelia Vossebein

Auf Carl gGmbH, c/o Zeche Carl

7.4.2020

## Address

Auf Carl gGmbH, c/o Zeche Carl  
Wilhelm-Nieswandt-Allee 100  
45326 Essen

## Management of the company

Kornelia Vossebein  
Tel: +49 (0)201-83444-10  
Fax: +49 (0)201-83444-11  
info@zechecarl.de

## Production management

Marina Wirth  
Tel: +49 (0)201-83444-48  
Mobil: +49 (0)151-44026051  
produktion@zechecarl.de

## Technical contact

Patrick Wirtgen  
Tel: +49 (0)201-83444-49  
technik@zechecarl.de

## Website

www.zechecarl.de  
facebook.com/zechecarllessen  
instagram.com/zeche\_carl

## Gastronomy contact

malakow Restaurant  
Uwe Elstermeier  
Tel: +49 (0)201-8344422  
gastronomie@zechecarl.de



## Function room - Kaue

size	225 qm plus 50 qm gallery
ceiling height	6,65 m
capacity standing	500 incl. Empore, 400 excl. gallery
capacity seated	200
parking (< 7,5 t)	directly behind Kaue, ground level
parking (> 7,5 t)	in front of restaurant malakow
loading (> 7,5 t)	via Festhalle entrance, ground level
backstage	approx. 14 qm incl. shower & WC aside the stage

## Stage dimension - Kaue

width x depth	10 x 5 m
height	0,8 m
overhead clearance	5,85 m
riser	additional, 7 x (1 x 2 m) inhouse

## Audiosystem - Kaue

sound desk	Soundcraft Vi 1000 Soundcraft Compact Stagebox 32:16 Midas M32 Midas DL32 Stagebox Behringer X 32
multicore	Digital 4 x CAT 7 (FoH to stage) Analog 40:10 installed
P.A.	12 x EAW Kf 730 Line Array (2 x 10" / 2 x 7" / 2 x 1" : 1050 W) 4 x Concert Audio Sub ESX (2 x 18" / 2000 W)

amping	4 x Crown I-Tech 5000 HD (Tops) 2 x Crown Macro-Tech 5002 Vz (Subs) 1 x Lake Contour 26 D Controller
monitoring	6 x Martin Audio LE 400 1 x Martin Audio F 215 (Drumfill) separate monitor mix on demand
monitor amping	3 x Crown Macro-Tech 1200 1 x Clayton CA 4

## Lighting - Kaue

light board	1 x Grand MA 2 Tourpack 1 x Grand MA 2 Faderwing 1 x MA Lightcommander II 2 x JB-Lighting Licon CX
back truss stage	6 x 6 Bar PAR 64 CP 61 2 x 4 Bar PAR 64 ACL 2 x Ultra Lite Audience Blinder 4-Lights 2 x Martin Atomic 3000 4 x Martin MAC 250 Krypton
front truss stage	2 x 6 Bar PAR 64 CP 61 (1 kW) 4 x Lucifer GHR 2000 (2 kW) 4 x Lucifer GHR 1000 (1 kW) 4 x Philips Selecon SPX 25 / 50 Profile
on demand	4 x Martin MAC 250 Krypton 8 x Litecraft LED PAR 64 AT 3 16 x Showtec Pixelbar 12 7 x clamlight 2 x Ultra Lite Audience Blinder 4-Lights 2 x Martin Atomic 3000
above dancefloor	4 x 6 Bar PAR 64 (500 W) 4 x Lightwave Research Trackspot 4 x Clay Paky Miniscan 300 4 x clamlight (1 kW) 8 x Litecraft LED PAR 64 AT 3

fog	1 x Look Unique 2.1 1 x Martin JEM ZR 33 1 x HES F-100
video	Panasonic PT EZ 590 E AV Stumpfl 16:9 ( 425 x 249 cm)



### Function room - Festhalle

size	245 qm
ceiling height	7,45 m
capacity standing	386
capacity seated	260
parking	in front of restaurant malakow
loading	via Festhalle entrance, ground level
backstage	2 separate rooms each approx. 6 qm plus 2 common room / catering area plus one shower and 2 separate WC's

### Stage dimension - Festhalle

width x depth	9,30 x 5,60 m
height	1 m
overhead clearance	6,45 m
riser	additional, 7 x (1 x 2 m) inhouse

## Sound / Audio - Festhalle

sound board	Soundcraft Vi 1000 Soundcraft Compact Stagebox 32:16 Midas M32 Midas DL32 Stagebox Behringer X 32
multicore	Digital 2 x CAT 7 (FoH to stage) Analog 40:10 installed
P.A.	4 x Hi-Tec Audio 2 x 15" / 1 x 2" (Tops) 4 x Hi-Tec Audio 2 x 18" (Bass)
amping	2 x Crest Audio CA 12 (Sub) 2 x Camco Tecton 32.4 (Mid) 2 x Crown CSL 800 (High) 1 x DBX Driverack PA+
monitoring monitor amping	2 x Martin Audio F 15 Blackline 2 x Crown Micro-Tech 1200

## Lighting - Festhalle

light board	1 x Grand MA 2 Tourpack 1 x Grand MA 2 Faderwing 1 x MA Lightcommander II 2 x JB-Lighting Licon CX
back truss stage mid truss stage	2 x 6 Bar PAR 64 CP 61 3 x Lucifer GHR 1000 (1 kW) 2 x 6 Bar PAR 64 CP 61
front truss stage	4 x Lucifer GHR 2000 (2 kW) 2 x Lucifer GHR 1000 (1 kW) 4 x Philips Selecon SPX 25 / 50 Profile
on demand	4 x Martin MAC 250 Krypton 8 x Litecraft LED PAR 64 AT 3 16 x Showtec Pixelbar 12
above dancefloor other	4 x 6 Bar PAR 64 (500 W) 1 x Look Unique 2.1 1 x Martin JEM ZR 33 1 x HES F-100
video	Panasonic PT EZ 570 E 4 m wide, extendible screen



## Function room - Lichthof

seize	180 qm
ceiling height	8 m
capacity standing	200
capacity seated	55
parking	in front of restaurant malakow
loading	via main entrance, ground level
backstage	not available

## Stage dimension - Lichthof

width x depth	5 x 4 m
height	0,6 m
layout	mobile stage elements, 1 x 2 m
overhead clearance	3 m
riser	additional, 7 x (1 x 2 m) inhouse


## Sound / Audio - Lichthof

sound boards	Midas M32 Behringer X 32
P.A.	2 x JBL 4770 A 2 x Bell YRS 4 L (Sub)
amping	1 x Crown CE 4000 1 x Crown Micro-Tech 1200 1 x Crown Micro-Tech 600 1 x DBX Driverack PA

## Lighting - Lichthof

light board	1 x Grand MA 2 Tourpack 1 x Grand MA 2 Faderwing 1 x MA Lightcommander II
front truss	2 x JB-Lighting Licon CX 3 x Coemar Passo 650 / 1000 2 x Neospot 650 / 1000
back truss on demand	4 x Martin MAC 250 Krypton 8 x Litecraft LED PAR 64 AT 3 16 x Showtec Pixelbar 12
video	BenQ MS 517 2,55 m wide, extendible screen

## Other



DJ-equipment	on demand
service for audience	each function room has it's own bar, which is catered by the inhouse restaurant employees
merch sale	on demand
catering for artist	on demand





## Stage - Außenbereich

Seize	860qm complete ( 400qm in front of stage)
Capacity standing	800
Capacity seated	300
Parking (< 7,5 t)	in front of Restaurant malakow
Parking (> 7,5 t)	in front of Restaurant malakow
Loading (> 7,5 t)	front of stage
Backstage	approx. 14 qm incl. Shower & Bath right beside Stage

## Stage dimension - Außenbereich

width x depth	7 x 4 m
height	0,8 m
overhead clearence	4 m
Riser	additional, 7 x (1 x 2 m) inhouse

## Sound - Außenbereich

Sounddesk	Soundcraft Vi 1000 Soundcraft Compact Stagebox 32:16 Midas M32 Midas DL32 Stagebox Behringer X 32
Multicore P.A.	Digital 1 x CAT 7 (FoH bis Bühne) 2 x JBL 4770 A 2 x Bell YRS 4 L (Sub)
Amping	1 x Crown CE 4000 1 x Crown Micro-Tech 1200 1 x Crown Micro-Tech 600 1 x DBX Driverack PA
Monitoring	sep. Monitormix nach Absprache 6 x Martin Audio LE 400

## Monitor Amping

1 x Martin Audio F 215 (Drumfill)  
3 x Crown Macro-Tech 1200  
1 x Clayton CA 4

## Lighting - Außenbereich

### Light board

1 x Grand MA 2 Tourpack  
1 x Grand MA 2 Faderwing  
1 x MA Lightcommander II  
2 x JB-Lighting Licon CX

### Backtruss

8 x Expolite TourLED 42

### Fronttruss

4x 1kW Stufenlinse

### on demand

4 x Martin MAC 250 Krypton  
8 x Litecraft LED PAR 64 AT 3  
2 x Martin Atomic 3000

### other

1 x Look Unique 2.1  
1 x Smoke Factory Captain D.  
1 x HES F-100

## Additional Corona Info's

We developed a hygiene concept for your and our health, so we're able to perform safely events in the future. All changes in our house serve the containment of the Corona Virus. In this case we are following the Specifications of the Protection Ordinance of the land NRW. Unfortunately there are maybe short term changes, Which we will always point out as soon as possible.

### Hygiene- and protective measures

- Masks are required in the entire house. Also on stage during the event and in the backstage. Singers and wind instruments are excluded if they are 4m away from the audience. It's not allowed to shake out the wind instruments. The safety distance of 1,5m must also be observed on stage. If this is not possible, we can set up transparent partitions.

Please pay attention to cough and sneeze rules.

Hand disinfection dispensers are available throughout the house. Please make use of it.

- **Auditorium**

There is also the 1,5m distance rule in the auditorium. There are a maximum of 2 contiguous places. The total capacity is currently in the Kaue 64 seats and 76 seats in the Festsaal.

- **Personal contact details**

As organizer, we are obligated to include your contact details. This is used to trace infection chains and is of course treated confidentially by us. We store this data for 4 weeks and delete it after that. Please also give us the details of people who are accompanying you (technicians, photographers, etc.)

- **One way system**

There is a one-way system throughout the house to ensure sufficient distance. Please pay attention to the markings on the floor and follow them.

- **Ventilation system**

To ensure a sufficient supply of fresh air, our ventilation systems are currently running at 100%. We also regularly open the doors and windows to ventilate. This leads to a higher level of noise in the halls and it can sometimes be a bit cold.

Please enquire for directions, maps or any further information needed.

We are happy to help!

